

Products

Module Amplifiers

- Solid-state Class AB design
- Ruggedized MOS or GaN on SiC Transistors
- Small Dimensions and Light Weight
- High reliability and ruggedness
- Forward/Reflected Power Monitoring
- Temperature and Current Monitoring



We use cookies to improve our service. By using our site, you agree to our use of cookies.

I Agree

Part Number	F(MHz) (Min) ▲	F(MHz) (Max) ▼	Power (W) ▼	Size(mm) ▼
<u>JA00010030P40</u>	1.5	30	10	90 x 80 x 20
<u>JA00010030P44</u>	1.5	30	25	90 x 80 x 22
<u>JA00010030P51</u>	1.5	30	125	179 x 108 x 46
<u>JA00010030P57</u>	1.5	30	500	259 x 213 x 65
<u>JA00010030P61</u>	1.5	30	1200	415 x 278 x 65
<u>JA00200100P49</u>	20	100	80	109 x 109 x 37
<u>JA00200100P46</u>	20	100	40	90 x 90 x 22
<u>JA00200500P45</u>	20	500	30	90 x 90 x 22
<u>JA00200500P48</u>	20	500	60	194 x 97 x 24
<u>JA00200500P49</u>	20	500	80	197 x 97 x 24
<u>JA00200500P50</u>	20	500	100	194 x 97 x 24
<u>JA00201000P48</u>	20	1000	65	155 x 124 x 27
<u>JA01000500P46</u>	100	500	40	90 x 90 x 22

We use cookies to improve our service. By using our site, you agree to our use of cookies.

Part Number	F(MHz) (Min) ▲	F(MHz) (Max) ▼	Power (W) ▼	Size(mm) ▼
<u>JA01000500P51</u>	100	500	150	150 x 145 x 34
<u>JA03900450P46</u>	390	450	40	90 x 90 x 22
<u>JA03900450P53</u>	390	450	200	150 x 145 x 34
<u>JA04003000P47</u>	400	3000	50	135 x 75 x 24
<u>JA04001000P47</u>	400	1000	50	137 x 75 x 24
<u>JA05002000P50</u>	500	2000	100	206 x 86 x 21.5
<u>JA05003000P52</u>	500	3000	160	300 x 156 x 28
<u>JA06501000P47</u>	650	1000	50	135 x 75 x 24
<u>JA07002700P50</u>	700	2700	100	206 x 86 x 21.5
<u>JA07001000P50</u>	700	1000	100	206 x 86 x 21.5
<u>JA07002700P47</u>	700	2700	50	139 x 125 x 25
<u>JA08003800P47</u>	800	3800	40	-
<u>JA10002000P43</u>	1000	2000	20	135 x 75 x 24

We use cookies to improve our service. By using our site, you agree to our use of cookies.

Part Number	F(MHz) (Min) ▲	F(MHz) (Max) ▼	Power (W) ▼	Size(mm) ▼
<u>JA11001700P47</u>	1100	1700	100	206 x 86 x 21.5
<u>JA11001700P50</u>	1100	1700	100	206 x 86 x 21.5
<u>JA11001700P53</u>	1100	1700	200	300 x 156 x 28
<u>JA18002200P47</u>	1800	2200	50	137 x 75 x 24
<u>JA20003000P47</u>	2000	3000	50	139 x 125 x 25
<u>JA20006000P43</u>	2000	6000	20	115 x 83 x 19.5
<u>JA20006000P47</u>	2000	6000	50	160 x 94 x 19.5
<u>JA20006000P50</u>	2000	6000	100	197 x 86 x 40
<u>JA24002700P50</u>	2400	2400	100	206 x 86 x 21.5
<u>JA40008000P47</u>	4000	8000	50	135 x 83 x 19.5
<u>JA44006000P46</u>	4400	6000	40	134 x 123 x 22.5
<u>JA55006000P43</u>	5500	6000	20	110 x 109 x 23

We use cookies to improve our service. By using our site, you agree to our use of cookies.

Part Number	F(MHz) (Min) ▲	F(MHz) (Max) ▼	Power (W) ▼	Size(mm) ▼
IA57005900P46	5700	5900	40	134 x 123 x 22.5

We use cookies to improve our service. By using our site, you agree to our use of cookies.